














Description	order code	for fiber size	Application
<p>Fiber Point Fitting - White ABS with nylon tri-wing</p> <p>1) 1.0mm White FPF 10 Wh 2) 1.5mm White FPF 15 Wh 3) 2.0mm White FPF 20 Wh 4) 3.0mm White FPF 30 Wh</p>		<p>0.75 - 1.0 mm 1.5 mm 2.0 mm 3.0 mm</p>	<p><i>for white ceiling - indoor</i></p> 
<p>Fiber Point Fitting - Black ABS with nylon tri-wing</p> <p>1) 1.0mm Black FPF 10 Bk 2) 1.5mm Black FPF 15 Bk 3) 2.0mm Black FPF 20 Bk 4) 3.0mm Black FPF 30 Bk</p>		<p>0.75 - 1.0 mm 1.5 mm 2.0 mm 3.0 mm</p>	<p><i>for dark ceiling - indoor</i></p> 
<p>Fiber Point Fitting - Chrome ABS with nylon tri-wing</p> <p>1) 1.0mm Chrome FPF 10 Cr 2) 1.5mm Chrome FPF 15 Cr 3) 2.0mm Chrome FPF 20 Cr 4) 3.0mm Chrome FPF 30 Cr</p>		<p>0.75 - 1.0 mm 1.5 mm 2.0 mm 3.0 mm</p>	<p><i>for decorative illumination - indoor</i></p> 
<p>Fiber Point Fitting - Aluminum with nylon tri-wing</p> <p>1) 1.0mm Alum. FPF 10 Al 2) 1.5mm Alum. FPF 15 Al 3) 2.0mm Alum. FPF 20 Al 4) 3.0mm Alum. FPF 30 Al</p>		<p>0.75 - 1.0 mm 1.5 mm 2.0 mm 3.0 mm</p>	<p><i>for decorative illumination - outdoor</i></p> 
<p>Fiber~Web Mounting - Nylon</p> <p>1) 1.5 mm Grey FW 15 Gy 2) 2.0 mm Grey FW 20 Gy</p>		<p>1.0 - 1.5 mm 2.0 mm</p>	<p><i>for floor illumination - outdoor</i></p> 

Description	order code	for fiber size	Application
<p>AURORA Fiber Crystal Fitting - ABS with nylon tri-wing</p> <p>1) Chrome AU Cr 2.0 - 3.0 mm</p> <p>2) Gold 24K AU Gd 2.0 - 3.0 mm</p> <p>3) White AU Wh 2.0 - 3.0 mm</p> <p><i>Small star pattern</i></p>			<p><i>optically pure crystal for ceiling - indoor</i></p> 
<p>CROWN Fiber Crystal Fitting - ABS with nylon tri-wing</p> <p>1) Chrome CW Cr 2.0 - 3.0 mm</p> <p>2) Gold 24K CW Gd 2.0 - 3.0 mm</p> <p>3) White CW Wh 2.0 - 3.0 mm</p> <p><i>Medium star pattern</i></p>			<p><i>optically pure crystal for ceiling - indoor</i></p> 
<p>ICICLE Fiber Crystal Fitting - ABS with nylon tri-wing</p> <p>1) Chrome IC Cr 2.0 - 3.0 mm</p> <p>2) Gold 24K IC Gd 2.0 - 3.0 mm</p> <p>3) White IC Wh 2.0 - 3.0 mm</p> <p><i>Large star pattern</i></p>			<p><i>optically pure crystal for ceiling - indoor</i></p> 

Optic Accessories 3

Fiber Optic Luminaire
Masonlite Cold cathode

Description	order code	for Luminaires		
1) 4+1 Color Disc - Glass <i>standard colors with 1 segment clear</i>	5SC	50W Halogen		80 mm
2) 4+1 Color Disc - Glass <i>custom colors</i>	5CC			
3) 5+1 Color Disc - Glass <i>standard colors with 1 segment sparkler</i>	6SC	75W & 100W Halogen		105 mm
4) 5+1 Color Disc - Glass <i>custom colors</i>	6CC			
5) 7+1 Color Disc - Glass <i>standard colors with 1 segment clear</i>	8SC	70W & 150W HiD		127 mm
6) 7+1 Color Disc - Glass <i>custom colors</i>	8CC			
7) FULL Sparkling Disc 80 mm dia.	FS 1	50W Halogen		
8) FULL Sparkling Disc 105 mm dia.	FS 2	75W & 100W Halogen		
9) FULL Sparkling Disc 127 mm dia.	FS 3	70W & 150W HiD		
10) FULL Sparkling Disc with 'Chunks of Colors'	COC 1	50W Halogen		
11) FULL Sparkling Disc with 'Chunks of Colors'	COC 2	75W & 100W Halogen		
12) FULL Sparkling Disc with 'Chunks of Colors'	COC 3	70W & 150W HiD		

TiME Luminaires sdn bhd

Tel : +603-9282 9096 Fax : +603-9282 5875

<http://www.neon-lighting.com> <http://www.fiberlight.com.my> email: sales@neon-lighting.com

This catalogue cancels and replaces all previous catalogues of the same product ranges. TiME Luminaires Sdn Bhd reserves the right to make technical, formal or dimensional modification at any time, without prior notice obligation.

© Copyright Reserved No images, articles and illustrations in part or whole are allowed to be reproduced or duplicated in any form without written permission from TiME Luminaires Sdn Bhd.